# CRANES & COMPONENTS

# **CONTENTS**

Customers

| 5  |                |
|--|----------------|
| BEINGH                                   | 5              |
| Origins Evolution Size of the GH group   | 6<br>8<br>10   |
| 12                                       |                |
| EMPOWERINGH                              | 12             |
| Products<br>GH Global Service<br>Sectors | 14<br>28<br>30 |
| 32                                       |                |
| APPROACHINGH                             | 31             |
| Global presence<br>Customer portal       | 34<br>36       |
| 38                                       |                |
| THINKINGH                                | 38             |
| GH 4.0                                   | 40             |
| 42                                       |                |
| FELLOW TRAVELLERS                        | 42             |

43


YESTERDAY, WE THOUGHT
ABOUT HOW TO MAKE BETTER
LIFTING PRODUCTS.
TODAY, WE DEVELOP CRANES
THAT THINK.
WE HAVE GONE FROM

WE HAVE GUNE FROM
PRODUCING MACHINES
TO CREATING **SMART CRANES** 









GH UPHOLDS THE PILLARS OF ITS FOUNDERS: HONESTY AND GOOD WORK



# **OUR ORIGINS**

In the middle of the last century, driven by the needs of a society that was recovering from its own contradictions, four brothers set up a family business to meet their survival needs and with the healthy ambition to build a project, with people at the centre of everything they did. 65 years and 125,000 cranes later, we are still the same.


Our company stands firm by the guiding principles of its founders, based on integrity, work well done and the desire to pass on value to our customers.

Now GH is a leading company in the field of lifting, with innovative products and customers who are leaders in five continents, and still continuously evolving to adapt to the new demands and technologies that make us more global, accessible and competitive.

# **OUR OWN** HOISTS

# WE ARE LEADERS IN THE MANUFACTURE OF HOISTS THAT MEET THE NEEDS OF THE MOST DEMANDING CUSTOMERS

Our evolution has meant flexibility and continuously adapting to new technologies, with a constant desire for improvement through innovation.





# WE ARE A TEAM OF **1.004 PEOPLE** AROUND THE WORLD

We are a business group with presence in the five continents. With qualified people from diverse backgrounds. And with a profile that clearly identifies us: comprehensive manufacturers of all our products and components, and with control of all the processes involved in both the manufacture and the service.

**+125.000** 

**CRANES SOLD** 

WORLDWIDE

# IN EVER MORE LOCATIONS, GETTING CLOSER TO OUR CUSTOMERS


We have different production and service centres to serve our customers around the world. We also have a commercial presence in more than


70 countries on 5 continents.

| NORTH AMERICA | Texas - Illinois - Canada - Cuba - Dominican Republic - Honduras - Nicaragua - Panama - Mexico - Guatemala - El Salvador - Costa Rica | SOUTH AMERICA |

Venezuela - Colombia - Peru - Ecuador - Bolivia - Brazil - Paraguay - Uruguay - Argentina - Chile | AFRICA | Angola - South Africa - Nigeria - Egypt - Tunisia - Algeria - Morocco | EUROPE | Spain · Portugal · United Kingdom · Ireland · Luxembourg · Belgium · Netherlands · Norway Denmark · Sweden · Czech Republic · Slovakia · Poland · Hungary · Romania Bulgaria · Greece · Turkey | ASIA | Jordan · Israel · Iraq · Kuwait · United Arab Emirates · Pakistan · Afghanistan · Tajikistan · Turkmenistan · Uzbekistan · Kazakhstan · India China Thailand · Korea · Hong Kong · Vietnam · Malaysia · Singapore · Indonesia | OCEANIA | Australia · New Zealand |












**DIRECT** PRESENCE WITH OUR OWN COMMERCIAL SUBSIDIARY IN 15 COUNTRIES




COMMERCIAL PRESENCE IN MORE THAN **70 COUNTRIES** WITH OUR LOCAL COLLABORATORS



OF CRANE
MANUFACTURERS
WORLDWIDE



WE ARE MARKET LEADERS IN PORTUGAL AND SPAIN



WE CAN PROVIDE SOLUTIONS IN ANY PART OF THE WORLD





CRANE COMPONENTS



# HOISTS

**STANDARDISATION** OF LE SPEED DRIVE

CABINETS WITH COREBOX, DATALOGGER AND CONNECTIVITY

The GH hoists are made using the most modern design technologies. Their manufacture is carried out with the most sophisticated means of production and the appropriate organisation.

**GH** wire rope hoists for bridge cranes, gantry and semi-gantry cranes, single and double girder, and other types of application. With capacities from 800 kg to 120 t in foot mounted and single and double girder versions. Robust and compact, modular construction and easy maintenance, with different wire rope falls, allows a wide rangeof hook paths, lifting speeds and FEM / ISO work groups depending on the requirements in terms of starts per hour and duty cycles for the loads to be lifted.

The **GH** hoists incorporate the control system and monitoring of the Safe Operation Period as standard.


The range of **GH** hoists has been designed based on the principles of reliability, safety, durability, competitive price, easy maintenance and, of course, availability.

# HOISTS

\_\_\_

# FROM 800 KG UP TO 120 T















GHA12 HOIST Low headroom GHB11 SINGLE GIRDER HOIST **3. GHD13** HOIST
Normal Headroom/
for curves

4. GHB11 HOIST Foot mounted Execution 1/1 **5. GHD13** HOIST
Tubular double girder

**6. GHD13** HOIST Double girder on end carriages

7. CABINET WITH REGENERATIVE MODULE FOR GHB11 HOIST

# CRANE

The Crane Kits, with both standardised and special components, allow the easy construction of top running or underslung EOT cranes, as well as Gantries and Semi Gantries.

They allow cranes to be manufactured with just the beams being available. They are supplied with the project design and all the crane components and accessories, including the electrical equipment.







1. HOIST


END CARRIAGES



**3.** GEARED MOTOR FOR TRAVEL



ELECTRICAL CABINET



4

FESTOON





1

**Design:** robust, compact and clean with a modern and technological profile.

**No counterweights:** lighter and with the most economical structure.

**Modular design:** changing just a few of the parts allows the hoist configuration to be transformed.

**Bolted structure:** The maintenance is simpler and avoids the deformation of the welded frame, achieving greater versatility.

**Exterior fairing GHA12, GHB11 and GHD13**, with a common plate for the entire range of each generation.

Compact tubular double girder concept: More competitive solution than the typical trolley with end carriage on the market. Exclusive to GH.

2

Gears made of rectified cemented

**material.** This lengthens the life of the gearbox, manufactured according to ISO 6336. Reduces vibrations and noise of the gearbox.

**Protection of travel gear in suspended low headroom:** avoids handling and possible entrapment. Prevents the dripping of grease.

**Four-gauge pin type load cell:** for load limiter, which makes it possible to know the load spectrum and determine the SWP.

**Steel wire rope**, with coated steel core and safety factor greater than 5 in all configurations.

**Quick connectors** which facilitate maintenance and save assembly time.

**Cabinets with COREBOX,** datalogger and connectivity.

Top of the range commercial electrical components: Schneider, Weidmüller, etc.

3

Standardisation of variable speed drive for all movements.

\_

**Increased safety:** by placing the encoder in lifting that favours the return of the command information from the drive to the motor. Robust and high-resolution design encoder.

**High-capacity braking resistance,** overload capacity, oversized. High dielectric strength.

Overspeed for small loads:

Allows the hoist to go faster if the load is below 25%. With the maximum load it can go at nominal speed. From 25% to 60% maximum overspeed.

**Possibility of fitting regenerative drive** and the elimination of braking resistors. Energy savings.



The GH hoists and cranes have drive control by means of frequency inverters as standard.

The incorporation of regenerative modules enables us to provide great advantages for our customers in large machines.







Committed to technologies derived from industry 4.0 applied to the crane and its interaction with people.



Plug & play solution to add automation functionality to the cranes.



Standard solution for the remote monitoring of lifting equipment.



Synchronism in lifting and crosstravelling Reduces load sway without additional sensors.



Connectivity via 3G/4G, Wi-Fi and USB.



Connectivity via 3G/4G or USB.



**REGENERATIVE** 

DRIVE



User access via the cloud to monitor the status of the crane.



Allows monitoring of the status of alarms and consumption.









**ENVIRONMENTAL** SUSTAINABILITY





**CUSTOMER COST** SAVINGS







# REGENERATIVE VARIATOR

The incorporation of regenerative modules gives our equipment great advantages for our customers. Energy savings, environmental sustainability and customer cost savings

## **CENTRIFUGAL BRAKE**

Autonomously operating system with a mechanical device that takes advantage of the centrifugal force generated when the load is falling. The centrifugal brake is mechanically coupled to the drum of the hoist by means of a pinion (brake) – crown (drum) system.

## **TWIN HOIST**

Synchronised lifting of up to 200t. with **CORE+**. The **TWIN HOIST** solution minimises stresses in the mechanical components and structures, controlling the starting and stopping of the drives through frequency converters.



# CORE+ SYNCHRO

**CORE+ SYNCHRO** Easier and safer handling of large loads using 2 hoists (of same or different capacity), operating in same crane. Hassle-free for operator as it maintains relative positions automatically between hooks, both horizontally and vertically.



## **CORE+ STABILITY**

**CORE+ STABILITY** material-handling system that ensures enhanced load stability at higher speeds. Ensures smooth acceleration and minimal load sway and enhances safety with drastically reduced chances of damage and injury.



#### **INCOTANDEM**

**INCOTANDEM** allows synchronisation of two cranes working in tandem with effective synchronisation of their movements. Control the movements of 2 cranes from 1 radio control occupying fewer radio frequencies (only 3 frequencies per pair of cranes).

# **BRIDGE CRANES**

These have a robust construction and a high level of standardisation. Very modular and adaptable to any need, with very reliable components and available for a wide range of applications.


The structure is a box beam or commercial section, optimised by computer-aided calculation processes.

Our designs offer the best technicalmechanical option with the best value for money.

The optimised combination of the crane structures with the mechanical equipment for lifting, cross travelling and long travelling, allow the best hook approaches for optimising space and the best use of spaces.

The construction of the structural welded components, with automated and robotic systems, always guarantees the correct repetition of the welding processes and a high quality product.

The mechanisms used in our industrial bridge cranes are an indivisible part of the cranes, taking in the entire range from chain hoists of 500 kg to wire rope hoists of 200 t and open winches up to 400 t.





Top running Single Girder crane



Double girder crane and cantilever crane



Suspended crane

# GANTRIES AND SEMI-GANTRIES

Up to 400 t.



**GH** is a European leader in the design and manufacture of gantry cranes with a large number and variety of applications. Due to the number of gantry cranes installed, **GH** is a leader for this type of machinery.

**GH** adapts the manufacture of its gantry cranes to the needs and circumstances of each customer, always taking into account the type of work to be carried out and load to be handled.


The experience acquired since 1958 backs us up as specialists in gantry and semi-gantry cranes.



# MOTORISED TROLLEYS

\_\_\_

From 10 t up to 200 t.





The **GH** transfer carts allow the movement of loads at ground level in all types of industries and applications.

They are robust, have a modular construction and are available in a wide range of products and adaptable to any need.

They are equipped with all the necessary safety features for the movement of machines at ground level.

They are an important complement to the cranes for the movement of heavy loads at ground level, being an ideal solution for the transfer of loads between adjacent buildings.

THERE ARE TWO MAIN TYPES OF TRANSFER CARTS, WITH DIFFERENCES IN THE TYPE OF MOVEMENT:

#### Steerable transfer carts:

These can move freely.

Available in battery-powered version.

#### Transfer carts on rails:

These move only in a straight line. Available in battery or power supply versions, by means of a cable reel or power supply line.

IDEAL SOLUTION FOR THE TRANSFER OF LOADS BETWEEN ADJACENT BUILDINGS

# PROCESS CRANES OPEN WINCH







We design special solutions for nonstandard lifting mechanisms based on applications or work environments.

#### MAIN CHARACTERISTICS ARE:

Higher lifting capacities and/or higher lifting speeds and/or higher FEM groups.

The use of commercial motors allows adaptation to customers' standards.

1 motor, instead of applications with a hoist that need 2 motors for the same lifting capacity and therefore double the probability of equipment failure. Possibility of working with motors of 1,500 and 1,000 rpm. Greater sizing of the motor.

Motor-gearbox and gearbox-drum connections use intermediate flexible couplings.

True vertical lift without side displacement of the hook during the lifting operation.

Greater accessibility for maintenance of the different components.

The brake is completely external, improving its accessibility and adjustment.

The gearbox has a top opening lid facilitating access, maintenance and inspection.

Anti-overlapping and slack wire rope detector. The anti-ovelapping system is formed by a support and a mechanism with springs fastened with screws, to prevent the cable from leaving the slots of the drum.

# **AUTOMOTIVE GANTRIES**

Up to 600 t.

The **GH** automotive gantry cranes on rubber tyres allow the autonomous movement of loads in all types of industries and applications.

At **GH** we have a wide variety of automotive gantry cranes, handling loads ranging from 20 to 600 t, offering efficiency in outdoor yard movements for nautical and industrial sectors. All of them are characterised by their great robustness, simplicity of use, easy maintenance and manoeuvrability, and they are particularly useful for sectors involving prefabricated components and external logistics warehouses (wind power, precast concrete, heavy sheet metal working, container cranes, etc.).



HEAVY-DUTY, ROBUST, AND RELIABLE

SAFE

CUSTOMIZED

LOW CONSUMPTION











GH presents its jump into clean energy for its automotive RTGs by introducing GH70e, a full electric boat hoist with 65t capacity. A high performance ion-lithium battery pack with 10 years warranty provides a full working day of

independent operation and its fast charger aids its recharge. GH is committed to sustainability, incorporating an optional independent solar panel support system that provides up to 20% of the daily energy used.

- / Able to incorporate a variable span system that improves dry-docking efficiency for boats with different widths.
- / Electronic steering offers complete maneuvering versatility.

FULL-ELECTRIC SERIES NO EMISSIONS. NO LEAKS.

# JIB CRANES

From 500 kg up to 20 t.



#### WALL JIB CRANE

For the handling of lightweight parts during production processes.

#### **COLUMN JIB CRANE**

For the handling of light and medium weight parts during production processes where independent manufacturing stations are required with respect to the main cranes in a factory building.

#### INDUSTRIAL JIB CRANE

For the handling of heavy loads during production processes and industrial activities where independent manufacturing stations are required with respect to the main cranes in a factory building.

#### PORT JIB CRANE

Also known as Marine Jib Cranes, they are specially designed for lifting heavy loads in port environments.

An ideal solution for the movement of loads in a circular area near the manufacturing station.

With chain and wire rope hoist options, in low headroom or suspended type.

Great precision of movement with manual or motorised versions.

The industrial jib cranes, from 500 kg up to 20 t, allow cantilevers suitable for each type of application.



Port jib crane Industrial jib crane

# DRY DOCKS

Up to 4 t.

#### **OPTIMISING SPACE USAGE AT A BOATYARD**

We design and manufacture rail-mounted gantry cranes for dry docks that are adapted to each customer's specific space and needs, optimising use of the space and expanding docking capacity to get the most out of the boatyard.





#### **AUTOMATED SERVICE**

Industry developments allow us to design cutting-edge solutions, offering automated dry dock services to facilitate boat docking, storage and delivery to expand a boatyard's service to reach its full potential.

#### STREAMLINED DELIVERY OF BOATS

Our dry docks are designed to provide customers with the best service, so that they can have their boats ready in just a few minutes through automatic or semi-automatic operations.

#### PRESERVATION OF BOATS ON DRY DOCK

Boats are not in contact with the water, improving preservation and safety.

# WE ADAPT TO EACH MARKET AND CUSTOMER, WITHOUT ANY REDUCTION IN QUALITY OR PERFORMANCE. GH GLOBAL SERVICE.

# A 10 OUT OF 10 SERVICE

Wherever our customer is, they can be sure of a quick and effective response. We provide a Technical Support Service in the 5 continents. With advanced technology and continuous advice.

- Comprehensive preventive maintenance.
- Corrective maintenance.
- 3 Supply of spare parts.
- Supply of lifting accessories.
- Modernisations and renovations.
- Training of crane operators.
- Assembly and commissioning of cranes.
- Standard crane warranty service.
- Service technology.
- 10 Connectivity / machine / technician / customer.



# REFURBISHMENT AND UPGRADES



# **EXTENDING THE LIFETIME** OF THE MACHINE

## IMPROVING PERFORMANCE **AND SAFETY**

Modernisation services extend the useful lifetime of an equipment, adapting it to the new needs and improving its safety.

Thanks to our experience and technological know-how, we can handle all kinds of crane modernisation projects, both for **GH** branded cranes and others.

# TRAINING OF OPERATORS

The correct use of our machines requires well-trained operators so that they follow the required standards of maximum safety and efficiency.

We have an operator training protocol that is carefully structured and documented, taught by our training experts.



# SPARE PARTS

\_\_\_

# ·GH·

PARTS & ACCESSORIES is our main warehouse in Madrid-Spain, which supplies the highest quality spare parts to regional service centres around the world, in a very short period of time.

Purchasing the spare part from the Official **GH** Service Network assures you that it is original and comes with the manufacturer's warranty.



# ACCESSORIES FOR LIFTING

Hoists, magnets, rockers, claws, clamps, weighing, slings and chains, lifelines, lightweight systems, power supplies, radio controls, lightweight jib cranes and chain hoists.



# CONNECTIVITY

This is the technology that connects directly to service technicians, customers, machines and the GH data centre, through the cloud. It shows our customers all the service and operating data of our machines.

**GH**, through its data centre, can then perform Big Data analysis to better understand the operating patterns of our machines, developing products and services according to the production needs of our customers.



# **SECTORS**

We create particular solutions for specific sectors. We offer the optimal solution to every need. With the experience accumulated since 1958, our extensive capabilities and our own engineering.

At **GH** we know that each customer has specific preferences and need, therefore, we are prepared to develop machines that are fully adapted to each business.

Aeronautics

Automotive

Renewable energies

Public works

Iron and steel

Sheet metal working

Foundry

Steel handling

Waste Treament

Paper Mills

Container Handling

Precast Concrete

Nautical

Shipyards

Railway

Stone handling

Mining

Others









# **GLOBAL PRESENCE**

THE EFFORT TO EXTEND OUR PRESENCE AND ACTIVITIES HAS MADE US INTO A MULTI-LOCATION COMPANY. ALL OUR CUSTOMERS ARE **GUARANTEED TO HAVE ACCESS TO A** PROPER SERVICE THAT PROVIDES A **RESPONSE TO THEIR NEEDS** 



#### Our presence in the American continent

with three production plants that extend strategically from North to South, makes us a leading brand.

Our factories in Southern and Central Europe put us in a great position to serve all European customers.

Our production plant in Thailand and our presence in China and India give us a magnificent base from which to serve the Asian market.











**Lifting**your world.

GH, America









Brazil

GH, Asia

Peru









# THE POWER OF ADDING DIVERSE STRENGTHS



**GH's** presence in all these markets has given us the ability to combine different knowledge and cultures in order to adapt ourselves in line with the phrase that summarises our position with respect to international markets: "Think global, act local".

Our products, designed at the heart of the company, are the same in all markets, maintaining the same features in terms of safety, quality and capacity. "THINK GLOBAL, ACT LOCAL"

# THE SYNTHESIS:

# THE CUSTOMER PORTAL

Our efforts are not only aimed at the value that we incorporate into the product.

Our whole philosophy revolves around two concepts:

## **PEOPLE** AND THE CUSTOMER

These premises shape our way of acting.



On this website, GH-GS shows its customers all the service information and operational data via the cloud.



#### **OPERATIONAL DATA**

#### IN THIS PLATFORM WE BRING TOGETHER THE VERY LATEST **COMMUNICATION TECHNOLOGY TO** PROVIDE COMPREHENSIVE SERVICE MANAGEMENT THAT ALLOWS:

Online reporting of incidents for the crane.

The prevention of future problems that may affect production.

Rapid intervention in the event of uncontrollable incidents.

The availability of statistical information on the activity of the cranes so that the customer can make the appropriate decisions.

Simple, shared and secure administrative management for the customer and the service provider.

Telematic control of the crane's performance and incorrect actions in the handling of the cranes.

#### **CORESERVICES**

Document management

Contract Management

Issuing of warnings

Data record

#### **COREINSIGHT**

Indicators about the operating conditions


Proactive alarms about the operating conditions

RAM indicators and Reports

Technical advice


# GH-GS APP

All our technicians work with this technology, where they record all the service data: fault codes, spare parts used, checklists, maintenance reports, technical documentation, etc.



# + COREBOX

This is a datalogger that collects data and operating parameters from different crane devices.







# CONSTANTLY MOVING TOWARDS THE SMART CRANE.

The world of industry 4.0 has made a strong entry into the world of cranes. GH has internalised this new scenario and makes greater digitisation, with a firm commitment to automation and a constant search for improvement in the field of the connection

constant investments with the aim of achieving between companies and machines.







Metrology laboratory: for the dimensional control of the parts we machine.






Lasertracker. For the dimensional control of the cranes we use a maximum precision laser machine.






Monitoring in real time of the current status of the manufacturing process with data collection terminalsin the plant.









OUR CUSTOMERS
HAVE SHOWN US
THE WAY.
WE HAVE JUST
ACCOMPANIED THEM
ON THEIR JOURNEY.

\_

# WHEN A **GH** CRANE I FAVES THE FACTORY, WE KNOW THAT IT WILL REACH GREAT HEIGHTS. THE SAME HEIGHTS AS OUR CUSTOMERS

| - ACCIONA         |
|-------------------|
| - ACERINOX        |
| - ACEROMEX        |
| - ACEROS AREQUIPA |
| - AÇOTEL          |
| - AERIS ENERGY    |
| - AIRBUS          |
| - AKE             |
| INFRASTRUCTURE    |
| - ALSTOM          |
| - AQUALIA         |
| - ARCELORMITTAL   |
| - AVIANCA         |
| - BREMBO          |
| - BUDIMEX         |
| - CAF             |
|                   |

- CATERPILLAR

- CIE AUTOMOTIVE

- CEMENGAL

- COBERMETAL - GENERAL - CODEME **ELECTRIC** - COMANSA - GESTAMP - COPACHISA - GPI TANKS - COSENTINO - GUARDIAN - DANFOSS **GLASS** - HARBIN HAFEI - DANOBAT - DIAMOND C **AIRBUS TRAILERS** COMPOSITE - DOOSAN - HEIMBACH - ELECNOR - HONGDU - EMBRAER AVIATION - FAURECIA - HYUNDAI - FIAT - INDAR - FINANZAUTO - INTEGRITY - FCC TOOL & MOLD

- JIULI

- KOMATSU

- KONSORCJUM

- FERROVIAL

- FUNDIFAS

- GAMESA

- STALI - PICHON - SIAM CEMENT GROUP - POWER ELECTRONICS - SIEMENS - LIEBHERR - RENFE - SOFIDEL - LLAXTA - RELIABLE REBAR - STADLER RAIL - MAHINDRA - RSTEEL FÁBRICA DE - STALPROFIL - METALS USA TUBOS METÁLICOS - STECON - MOLDTECH - SAICA - TALGO - MTU - SAKANA - TECNOARANDA - NAVANTIA - SAMASZ - VALE - NATIONAL - SEAT V01V0 OILWELL VARCO - SERMEFIT - WUTKOWSKI - NISSAN - SHIMIZU - NOVARES - SHOUGANG - NORDEX

COMMITMENT





# SPAIN GH CRANES & COMPONENTS

#### **CENTRAL OFFICE**

Apdo. 27 - B Salbatore 20200 Beasain (Gipuzkoa) Spain T +34 943 805 660 F +34 943 888 721 E-mail: ghcranes@ghcranes.com www.ghcranes.com

#### **GH GLOBAL SERVICE**

Polígono Basozabal, 2 20212 Olaberria (Gipuzkoa) Spain T +34 902 205 100 globalservice@ghcranes.com

#### MECANIZADOS ALSASUA, S.L. MACHINING CENTRE

Polígono Ibarría, 37 31800 Altsasu (Navarra) Spain **T** +34 948 467 625

#### GH GUERRA MANUTENCIÓN GUEMA, S.A. Crane Manufacture

Aiztiko Ind., 3 31810 Bakaiku (Navarra) Spain **T** +34 948 562 611

#### BRAZIL GH DO BRASIL IND. E COM. LTDA.

Acesso pela Rod. Dom Gabriel P.B. Couto, Km 81 13313-000 Cabreuva, Brazil T +55 1144090066 vendas@ghcranes.com.br

#### COLOMBIA GH COLOMBIA SAS

Carrera 48 No 91-93 Castellana Bogotá, Colombia T +57 (1) 7504427 ventasghcolombia@ghcranes.com

#### FRANCE GH FRANCE, SA

ZI Le Pan Loup Rue du Moulin de la Rousselière 44800 Saint-Herblain, France T +33(0) 240 861 212 ghfrance@ghcranes.com

#### INDIA GH CRANES INDIA PVT. LTD.

A-3, Saket District Centre,
District Centre, Sector 6,
Pushp Vihar, New Delhi, Delhi,
110017, India
T +91 7030 70 5000
ghindia@ghcranes.com

## MEXICO GRÚAS GH MEXICO SA DE CV

Retorno 1, nº 28.
Fraccionamiento Agroindustrial
La Cruz
El Marqués 76240 Queretaro,
México
T +52 44 22 77 55 03
+52 44 22 77 50 74
ghmexico@ghsa.com.mx

#### PERU GH PERÚ S.A.C

Calle Bolognesi, 125 Of. 19, Miraflores 15074 Lima, Perú T +51 1 734 32 99 +51 987816231 ventasghperu@ghcranes.com

#### POLAND GH CRANES SP. Z O.O

UI. Górnicza 2b 42-100 Kłobuck, Poland T +48 34 359 73 17 office@ghsa.pl

# PORTUGAL GH PORTUGAL

Zona industrial do Soeiro, Lote 9 4745-399 São Mamede do Coronado - Trofa, Portugal T +351 229 821 688 geral@ghcranes.com

#### SHANGHAI GH (SHANGHAI) LIFTING EQUIPMENT CO., LTD.

Floor 7, No. 966, Huaxu Road 201702 Qingpu District (Shanghai) T +86 21 5988 7676 ghcranes@ghcranes.com.cn

#### THAILAND LGH CRANES CO., LTD

137/4 Moo 8, Nongsak-Noenmok Road, Nong I-run, Ban Bueng 20220 Chonburi, Thailand T +66 [0]-2327 9399 F +66 [0]-2327-9371 ghthailand@ghcranes.com

#### UNITED ARAB EMIRATES GH CRANES ARABIA FZCO

Office no. 517, 5th Floor, Jafza Building 16, Jebal Ali Free Zone. P.O Box Number - 263594, U.A.E. T +971 4 8810773 gharabia@ghcranes.com

#### USA GH CRANES & COMPONENTS

# SPARE PARTS Y COMPONENTS 9134 Gulfstream Road 60423 Frankfort (Illinois), U.S.A. T (815) 277-5328 ghcranesusa@ghcranes.com

## MANUFACTURE AND SERVICE 14891 Hwy 205 75160 Terrell (Texas), U.S.A. T (972) 563-8333 ghcranesusa@ghcranes.com

